



CeoTronics

Audio · Video · Data Communication

CT-HR PTT

&

CT-ClipCom EM

CT-HR PTT



CT-HR PTT

• **IP66/67** zero dust
ingression and resistant to
strong water jets

Flame- resistant to
DIN EN443

Two ring guards for
individual
configuration with
bayonet connector



Programmable
function keys

CT-HR PTT

- Available functions (depending on radio model) include:
 - - Emergency call key
 - - Second (parallel) PTT key
 - - Volume + / -



CT-HR PTT



Art. no: Headsets:

- xxxxxxx CT-ClipCom EM
- 0231410 CT-ClipCom BoomMike
- 0231010 CT-FlexCom
- 0231400 CT-HighNoise headset
- 0231401 CT-ContactCom F1 helmet
- 0231403 CT-SpeakerMike
- 0231404 CT-Neckband
- 0231405 CT-ThroatMike
- 0231411 CT-BoomMike
- 0231413 CT-CombiCom



CT-FlexCom



- -flame-resistant, IP66 / 67 certified
- -flexible mechanical clamp mechanism
- - powerful loudspeaker and a waterproof, noise-compensating electret swan-mike microphone





CeoTronics

Audio · Video · Data Communication

CT-ClipCom

CT-ClipCom Earpieces



- **Standard rubber earplug**
- **Universal Silicon earpiece (three sizes)**
- **Individual Silicon earpiece, (individually made from personal ear mold)**

CT-ClipCom Individual Earpieces



- **Soft, non skin irritating silicon**
- **Also to be used as passive hearing protection**
- **Pressure balance in the ear due to special filter**

CT-ClipCom EarMike



CT-ClipCom EarMike



- In-Ear-Communication system
- Speech is picked up in the ear
- Ear-Microphone expertise since 1985
- Noise reduction using CT-DNR technology
- Also available in ATEX

CT-ClipCom EarMike



- **Universal or individual earpieces**
- **High noise attenuation, more than 26 dB SNR**
- **Highest wearing comfort, even under tight hoods or helmets due to soft earpieces**
- **Fast exchange among different users taking advantage of CeoTronics Clip-Technology**

CT-ClipCom BoomMike



- Same features as CT-ClipCom EarMike
- Very flexible and robust boom arm with noise cancelling microphone
- Perfect fit inside the ear also during erratic movements
- Also available in ATEX